Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"2848812".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/21 09:25
S1	5	"2848812".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 09:46
S2	0	1/807910.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 11:45
S3	1	10/807910.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 11:45
S4	1040	433/215.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 11:11
S5	360	433/159.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 14:26
S6	457	(tooth with extract\$3 with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 11:28
S7	183	"433".clas. and (tooth with extract\$3 with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 11:28
S8	3	"433".clas. and "energy accumulator"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 13:46

S9	1012	"knee lever"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 14:26
S10	3	"433".clas. and "knee lever"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 14:53
S11	17	(plier plyer) and "knee lever"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:05
S12	4	forcep and "knee lever"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:10
S14	21	advantage with "knee lever"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:10
S15	5	("2733624").URPN.	USPAT	OR	ON	2006/02/02 10:30
S16	13	("0563542" "2968042" "3224083" "3380226" "3455010").PN. OR ("3914980"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/02 10:33
S17	16	("2385654" "2478696" "2584353" "2603995" "2733624" "3779108" "3964352" "4157594" "4989479" "5630345").PN. OR ("5964130"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/02 10:35
S18	161	81/424.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/02/02 14:46
S19	1362	(plier plyer) and ((spacing space\$1 gap width) with adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 14:47

		EAST Searc	,			
S20	241	(plier plyer) and ((spacing space\$1 gap width) with adjust\$3 with jaw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 14:49
S21	52	(plier plyer) and ((spacing space\$1 gap width) with adjust\$3 with jaw) and method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 14:57
S22	24	(plier plyer) and ((spacing space\$1 gap width) with adjust\$3 with (minimum maximum)) and method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:03
S23	61	(plier plyer) and ((spacing space\$1 gap width) with adjust\$3 with (minimum maximum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:55
S24	37	S23 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:03
S25	7921	81/300-427.5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 15:44
S26	3	(tooth with extract\$3) and "diamond dust"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 16:52
S27	12	(plier plyer) and "diamond dust"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 16:54
S28	248	(teeth with extract\$3) and (surface with rough\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 16:55
S29	0	(teeth with extract\$3) and (surface with rough\$4 with (plier plyer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 16:55

S30	11	(teeth with extract\$3) and (surface with rough\$4) and (plier plyer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 16:58
S31	796	(surface with rough\$4) and (plier plyer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:01
S32	35	(surface with rough\$4 with (plier plyer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 16:59
S33	0	(tooth with exract\$3) and ((tip jaw "contacting element") with (rotat\$4 rotation\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/04 12:28
S34	2153	(plier plyer) and ((tip jaw "contacting element") with (rotat\$4 rotation\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/04 12:29
S35	2	(plier plyer) and holder and (("contacting element") with (rotat\$4 rotation\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/04 12:29
S36	7	(plier plyer) and (("contacting element") with (rotat\$4 rotation\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/04 12:30
S37	161	(surface with rough\$4 with (jaw contact\$3 element)) and (plier plyer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:02
S38	59	(surface with rough\$4 with jaw) and (plier plyer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:04
S39	2720	(plier plyer) and elastic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:06

		LASI Scarc	·· · · · · · · · · · · · · · · · · · ·			
S40	346	(plier plyer) and (elastic\$3 with (jaw arm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:07
S41	126	(plier plyer) same (elastic\$3 with (jaw arm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:15
S42	0	(plier plyer) same (elastic\$3 with (jaw arm) with energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:07
S43	0	(plier plyer) and (elastic\$3 with (jaw arm) with energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:07
S44	4	(plier plyer) and (elastic\$3 with (jaw arm) with (crush\$3 damag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:19
S45	80	(plier plyer) and (elastic\$3 with (crush\$3 damag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/05 11:19
S46	488	(tooth with extract\$3) and (tooth with diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 08:51
S47	178	(tooth with extract\$3) and (tooth near4 diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 09:00
S48	15	(tooth with extract\$3) and (tooth near4 diameter) and (plyer plier forcep)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 08:52
S49	5	(tooth with extract\$3 with method with diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 09:50

S50	140	81/341.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:01
S51	37	81/393.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:03
S52	2	81/385-414.ccls. and (diameter with minimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:04
S53	0	81/385-414.ccls. and (tooth with extract\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:11
S54	7925	81/300-427.5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:11
S55	132	S54 and (diameter with less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:12
S56	164	S54 and (diameter with greater)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:45
S57	14	S54 and (diameter with greater with (spacing gap (jaw with width)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 10:50
S58	1	("2704476").URPN.	USPAT	OR	ON	2006/02/16 11:38
S59	0	"DE 10044939"	USPAT	OR	ON	2006/02/16 11:52
S60	0	"DE10044939"	USPAT	OR	ON	2006/02/16 11:52
S61	0	"10044939".pn.	USPAT	OR	ON	2006/02/16 11:53
S62	19	dworschak.in.	USPAT	OR	ON	2006/02/16 14:07

S63	28	81/400.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 14:35
S64	39	81/401.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 14:41
S65	88	81/399.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 15:08
S66	38	81/402.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 15:18
S67	66	81/403.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 15:28
S68	60	81/404.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 15:51
S69	188	(wrench with (plyer plier)) and toggle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 15:51
S70	126	(wrench with (plyer plier)) same toggle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 16:46